




OVERBUILT IS AN UNDERSTATEMENT.®



CANADA LIST PRICING

JANUARY 1, 2009

Prices valid as of January 1, 2009. Given the current volatility of the global commodity market, prices may change at short notice and to a significant degree.

Please check with the factory to confirm pricing.

All prices subject to change without notice. Minimum billing \$70.00 NET.

In Canada Contact: 1-888-820-0120
sales@cashacme.ca • www.cashacme.ca

* Call Customer Service for actual weights.



OVERBUILT IS AN UNDERSTATEMENT.®

List Pricing - Canadian Dollars

Product Price List

January 1, 2009

CONTENTS

SharkBite® Connection System.....	3-8
Thermostatic Mixing Valves	10-12
Pressure Regulators.....	13-17
Relief Valves.....	18-20
Backflow Prevention Devices	20-23
Expansion Tanks.....	23
General Plumbing Products.....	24-25
General Heating Products.....	25-26
Repair Kits	26-31


In Canada Contact: 1-888-820-0120
sales@cashacme.ca • www.cashacme.ca

A Division of the Reliance Worldwide Corporation




SHARKBITE® CONNECTION SYSTEM

Use with OD Controlled Copper, CPVC, or PEX Pipe. Rated to 200°F (93°C) and 200 psi.



SharkBite® push-fit fittings


Note: These SharkBite products must be ordered in bag or master box quantities.



P/N	Size	Description	Qty / bag	Wgt /Bag (lbs)	List Price Each
U006	3/8" X 3/8"	Straight coupling	6	0.62	6.95
U008	1/2" X 1/2"	Straight coupling	12	1.5	7.25
U016	3/4" X 3/4"	Straight coupling	12	2.5	8.21
U020	1" X 1"	Straight coupling	6	2	15.71
U009	3/8" X 1/2"	Reducing coupling	6	0.74	6.73
U058	3/4" X 1/2"	Reducing coupling	12	2	7.85
U060	1" X 3/4"	Reducing coupling	6	2	19.02
U072	1/2" X 1/2" FNPT	Straight connector, female NPT	12	2	5.52
U088	3/4" X 3/4" FNPT	Straight connector, female NPT	6	1.5	6.21
U094	1" X 1" FNPT	Straight connector, female NPT	6	2	11.94
U120	1/2" X 1/2" MNPT	Straight connector, male NPT	12	2	5.42
U134	3/4" X 3/4" MNPT	Straight connector, male NPT	12	2.5	6.04
U140	1" X 1" MNPT	Straight connector, male NPT	6	2	12.11
U068	1/2" X 3/4" FNPT	Reducing connector, female NPT	6	1.5	5.14
U070	3/8" X 1/2" FNPT	Reducing connector, female NPT	6	0.92	5.48
U116	1/2" X 3/4" MNPT	Reducing connector, male NPT	6	1.5	5.14
U118	3/8" X 1/2" MNPT	Reducing connector, male NPT	6	0.86	5.60
U142	1" X 3/4" MNPT	Reducing connector, male NPT	6	1.7	10.51
U246	3/8" X 3/8"	Elbow	6	0.86	7.70
U248	1/2" X 1/2"	Elbow	12	2	7.60
U256	3/4" X 3/4"	Elbow	12	3.5	9.08
U274	3/4" X 1/2"	Elbow	6	1.5	9.00
U280	1/2" X 1/2" MNPT	Elbow	6	1.4	5.92
U308	1/2" X 1/2" FNPT	Elbow	6	1.4	5.92
U260	1" X 1"	Elbow	6	2.9	16.12
U332	3/8" X 1/2" FNPT	Drop ear elbow (SharkBite X FNPT)	6	1.58	6.30
U334	1/2" X 1/2" FNPT	Drop ear elbow (SharkBite X FNPT)	6	1.5	6.38
U249	1/2" X 1/2"	Drop ear elbow (SharkBite X SharkBite)	6	1.4	11.09
U340	3/4" X 3/4" FNPT	Drop ear elbow (SharkBite X FNPT)	6	2.9	11.85
U335	1/2" X 1/2"	Hy-ear elbow (SharkBite X FNPT)	6	1.4	5.94
U360	3/8" X 3/8" X 3/8"	Tee	6	1.22	10.00
U362	1/2" X 1/2" X 1/2"	Tee	12	3	10.17
U370	3/4" X 3/4" X 3/4"	Tee	6	4.5	12.02
U374	1" X 1" X 1"	Tee	3	3.8	19.62
U364	3/8" X 3/8" X 1/2"	Bullnose Tee	6	1.7	10.70
U363	1/2" X 1/2" X 3/8"	Reducing Tee	6	1.58	10.20
U412	3/4" X 3/4" X 1/2"	Reducing Tee	6	4	11.92
U444	3/4" X 1/2" X 3/4"	Reducing Tee	6	4	12.63
U454	3/4" X 1/2" X 1/2"	Reducing Tee	12	3.5	10.92
U416	1" X 1" X 3/4"	Reducing Tee	3	3.5	19.62
U512	3/8"	Endstop	6	0.38	5.73
U514	1/2"	Endstop	12	1	6.17
U518	3/4"	Endstop	6	1	7.63
U520	1"	Endstop	6	2	15.64

SharkBite® Fitting Reducers

Note: These SharkBite products must be ordered in bag or master box quantities.



P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
U719	3/8" X 1/2"	Fitting Reducer	6	0.62	7.31
U721	3/8" X 3/4"	Fitting Reducer	6	0.86	7.95
U722	1/2" X 1"	Fitting Reducer	6	1.7	10.51
U724	3/4" X 1"	Fitting Reducer	6	1.7	11.07

SharkBite® Threaded Fitting Adapter

Note: These SharkBite products must be ordered in bag or master box quantities.

P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
U766	3/4" X 3/4" FNPT	Threaded Fitting Adapter	6	*	10.19
U772	1" X 1"	Threaded Fitting Adapter	6	*	13.28


SharkBite® Tools

Note: These SharkBite products must be ordered in bag or master box quantities.




P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
U702	N/A	SharkBite Depth Gauge / Deburr Tool	1	0.1	16.75
U708	3/8"	Disconnect clip	24	0.038	1.56
U710	1/2"	Disconnect clip	24	0.1	1.75
U711	1/2"	Disconnect tongs	1	0.6	33.56
U712	3/4"	Disconnect clip	24	0.1	1.75
U713	3/4"	Disconnect tongs	1	0.6	33.56
U714	1"	Disconnect clip	12	0.1	1.88
U715	1"	Disconnect tongs	1	0.6	33.56

SharkBite® Kits




P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
22604	1/2"	Water Heater kit • 1/2" SharkBite X 3/4" NPT	12	0.5	16.50
22441	3/4"	Water Heater kit • 3/4" SharkBite X 3/4" NPT	12	0.5	17.00
22486	N/A	Contractor Kit: 2 each (U008, U016, U058, U072, U088, U120, U134, U248, U256) and 1 each (U362, U370, U514, U518, U710, U711, U713 and U702)	1	10.5	372.49
22795	N/A	Irrigation Kit: 2 each (U016, U020, U134, U140, U256, U260) and 1 each (U088, U094, U370, U374, U518, U520, U702, U712, U713, U714, U715, U766, U772 and U3016)	1	10.5	367.60

SharkBite® Check Valves




P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
U2008	1/2"	1/2" SharkBite X 1/2" SharkBite	12	6	18.03
U2016	3/4"	3/4" SharkBite X 3/4" SharkBite	12	6	21.58
U2020	1"	1" SharkBite X 1" SharkBite	12	*	35.33

SharkBite® Slip Couplings



P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
U3008	1/2"	1/2" SharkBite X 1/2" SharkBite	3	*	11.45
U3016	3/4"	3/4" SharkBite X 3/4" SharkBite	3	*	14.05
U3020	1"	1" SharkBite X 1" SharkBite	1	*	20.05

SharkBite® Pressure Regulators SharkBite Fittings are Directly threaded into valve




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22673-0045	1/2"	EB-45 Double SharkBite Direct, 45 set psi	12	*	82.87
22674-0045	3/4"	EB-45 Double SharkBite Direct, 45 set psi	12	*	83.84
22675-0045	1"	EB-45 Double SharkBite Direct, 45 set psi	12	*	126.15
22670-0045	1/2"	EB-35 Double SharkBite Direct, 45 set psi	12	*	73.93
22671-0045	3/4"	EB-35 Double SharkBite Direct, 45 set psi	12	*	75.56
22672-0045	1"	EB-35 Double SharkBite Direct, 45 set psi	12	*	103.57

SharkBite® Double Union Pressure Regulators (Valves come with union nut & SharkBite tail piece)


P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22857-0045	3/4"	EB-25 Double Union SharkBite, 45 set psi	12	*	133.06
22858-0045	1/2"	EB-35 Double Union SharkBite, 45 set psi	12	*	94.18
22859-0045	3/4"	EB-35 Double Union SharkBite, 45 set psi	12	*	96.50
22860-0045	1/2"	EB-45 Double Union SharkBite, 45 set psi	12	*	81.80
22861-0045	3/4"	EB-45 Double Union SharkBite, 45 set psi	12	*	84.38

SharkBite® Ball Valves



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22222-0000	1/2"	1/2" SharkBite X 1/2" SharkBite	12	10.2	29.40
22185-0000	3/4"	3/4" SharkBite X 3/4" SharkBite	12	*	32.32
22223-0000	1"	1" SharkBite X 1" SharkBite	6	*	49.68
22186-0000	3/4"	3/4" SharkBite X 3/4" FNPT	12	1	24.76

SharkBite® Water Hammer Arrestor Kits



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22630	1/2"	1/2" residential WHA w/ SharkBite Connections	24	1.6	23.25
22631	1/2"	1/2" commercial WHA w/ SharkBite Connections	24	*	27.55
22632	3/4"	3/4" residential WHA w/ SharkBite Connections	24	*	31.75
22633	1"	1" commercial WHA w/ SharkBite Connections	1	*	70.00

Thermostatic Retro Fit Kits

** Kits come with 3/4" copper tube size tailpieces. Use in conjunction with SharkBite® Fittings for easy installation.

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24311-0000	1/2"	1/2" CTS Retro Fit Tailpiece Kit	24	*	10.66
24312-0000	3/4"	3/4" CTS Retro Fit Tailpiece Kit	24	*	11.18

SharkBite® Thermostatics

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24104-0000	1/2"	1/2" HG-110D with SharkBite Connections	24	*	95.73
24105-000	3/4"	3/4" HG-110D with SharkBite Connections	24	*	95.02

SharkBite® Thermostatics with Unions and SharkBite Tail Pieces

(Valves come with union nut & SharkBite tail piece)

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24326-0000	3/4"	3/4" HG-115H with a Union Nut and SharkBite Tail Pc.	12	*	186.58
24327-0000	3/4"	3/4" HG-115H with a Union Nut, SharkBite Tail Pc. And checks	12	*	202.90
24328-0000	3/4"	3/4" HG-115D with a Union Nut and SharkBite Tail Pc.	12	*	225.92
24329-0000	3/4"	3/4" HG-115D with a Union Nut, SharkBite Tail Pc. And checks	12	*	242.24

SharkBite® Gauges

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22770	1/2"	SharkBite Pressure Gauge 1/2"	24	*	21.04
22771	1/2"	SharkBite Temperature Gauge 1/2"	24	*	38.99
22772	3/4"	SharkBite Pressure Gauge 3/4"	24	*	22.96
22773	3/4"	SharkBite Temperature Gauge 3/4"	24	*	40.91
22774	1"	SharkBite Pressure Gauge 1"	1	*	36.96
22775	1"	SharkBite Temperature Gauge 1"	1	*	55.16
22883	1/2"	SharkBite Pressure Gauge 1/2" without SharkBite Tee	1	*	12.16
22884	1/2"	SharkBite Temperature Gauge 1/2" without SharkBite Tee	1	*	28.68
22885	3/4"	SharkBite Pressure Gauge 3/4" without SharkBite Tee	1	*	17.42
22886	3/4"	SharkBite Temperature Gauge 3/4" without SharkBite Tee	1	*	32.94

SharkBite® Water PEX Tubing without Oxygen Barrier (coils)

P/N	Size	Description	Ft / carton	Weight per carton (lbs)	List Price Each
U855N100	3/8"	PEX Tubing Natural Color w/ Black Text	100	4.5	38.11
U855N300	3/8"	PEX Tubing Natural Color w/ Black Text	300	13.5	114.33
U855N500	3/8"	PEX Tubing Natural Color w/ Black Text	500	23	190.56
U855NR100	3/8"	PEX Tubing Natural Color w/ Red Text	100	4.5	38.11
U855NR300	3/8"	PEX Tubing Natural Color w/ RedText	300	13.5	114.33
U855NR500	3/8"	PEX Tubing Natural Color w/ RedText	500	23	190.56
U860N100	1/2"	PEX Tubing Natural Color w/ Black Text	100	5.5	43.56
U860N300	1/2"	PEX Tubing Natural Color w/ Black Text	300	14.5	130.67
U860N500	1/2"	PEX Tubing Natural Color w/ Black Text	500	24	217.78
U860NR100	1/2"	PEX Tubing Natural Color w/ Red Text	100	5.5	43.56
U860NR300	1/2"	PEX Tubing Natural Color w/ RedText	300	14.5	130.67
U860NR500	1/2"	PEX Tubing Natural Color w/ RedText	500	24	217.78
U870N100	3/4"	PEX Tubing Natural Color w/ Black Text	100	10.5	74.67
U870N300	3/4"	PEX Tubing Natural Color w/ Black Text	300	31.5	224.00
U870N500	3/4"	PEX Tubing Natural Color w/ Black Text	500	45	373.33
U870NR100	3/4"	PEX Tubing Natural Color w/ Red Text	100	10.5	74.67
U870NR300	3/4"	PEX Tubing Natural Color w/ RedText	300	31.5	224.00
U870NR500	3/4"	PEX Tubing Natural Color w/ RedText	500	45	373.33
U880N100	1"	PEX Tubing Natural Color w/ Black Text	100	18	130.67
U880N300	1"	PEX Tubing Natural Color w/ Black Text	300	54	392.00
U880N500	1"	PEX Tubing Natural Color w/ Black Text	500	90	653.33
U880NR100	1"	PEX Tubing Natural Color w/ Red Text	100	18	130.67
U880NR300	1"	PEX Tubing Natural Color w/ RedText	300	24	392.00
U880NR500	1"	PEX Tubing Natural Color w/ RedText	500	90	653.33

SharkBite® Water PEX Tubing without Oxygen Barrier (straight lengths)

P/N	Size	Description	Ft / carton	Weight per carton (lbs)	List Price Each
U860N20	1/2"	PEX Tubing Natural Color w/ Black Text - 20' Sticks	20	12	8.71
U860NR20	1/2"	PEX Tubing Natural Color w/ Red Text - 20' Sticks	20	12	8.71
U870N20	3/4"	PEX Tubing Natural Color w/ Black Text	20	22	14.93
U870NR20	3/4"	PEX Tubing Natural Color w/ Red Text	20	22	14.93
U880N20	1"	PEX Tubing Natural Color w/ Black Text	20	36	26.13
U880NR20	1"	PEX Tubing Natural Color w/ Red Text	20	36	26.13

SharkBite® Water PEX Tubing with Oxygen Barrier (coils)

P/N	Size	Description	Ft / carton	Weight per box (lbs)	List Price Each
U8550100	3/8"	PEX Tubing Orange Color w/ Black Text	100	4.5	74.81
U8550300	3/8"	PEX Tubing Orange Color w/ Black Text	300	13.5	224.44
U8550500	3/8"	PEX Tubing Orange Color w/ Black Text	500	23	374.07
U8600100	1/2"	PEX Tubing Orange Color w/ Black Text	100	5.5	79.26
U8600300	1/2"	PEX Tubing Orange Color w/ Black Text	300	14.5	237.78
U8600500	1/2"	PEX Tubing Orange Color w/ Black Text	500	24	396.30
U86001000	1/2"	PEX Tubing Orange Color w/ Black Text	1000	55	856.00
U8700100	3/4"	PEX Tubing Orange Color w/ Black Text	100	10.5	111.85
U8700300	3/4"	PEX Tubing Orange Color w/ Black Text	300	31.5	335.56
U8700500	3/4"	PEX Tubing Orange Color w/ Black Text	500	45	559.26
U87001000	3/4"	PEX Tubing Orange Color w/ Black Text	1000	105	1,208.00
U8800100	1"	PEX Tubing Orange Color w/ Black Text	100	18	186.67
U8800300	1"	PEX Tubing Orange Color w/ Black Text	300	54	560.00
U8800500	1"	PEX Tubing Orange Color w/ Black Text	500	90	933.33

Barb Manifolds

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22783	N/A	1" Manifold, 3/4" PEX x Spun Closed, 3 each 1/2" Pex branches 2" on center	1	11.84	14.24
22785	N/A	1" Manifold, 3/4" PEX x Spun Closed, 4 each 1/2" Pex branches 2" on center	1	13.76	18.85
22787	N/A	1" Manifold, 3/4" PEX x Spun Closed, 6 each 1/2" Pex branches 2" on center	1	17.6	21.72
22789	N/A	1" Manifold, 3/4" PEX x Spun Closed, 8 each 1/2" Pex branches 2" on center	1	22.4	36.07
22784	N/A	1" Manifold, 3/4" PEX x 3/4" PEX, 3 each 1/2" Pex branches 2" on center	1	9.88	15.28
22786	N/A	1" Manifold, 3/4" PEX x 3/4" PEX, 4 each 1/2" Pex branches 2" on center	1	14.08	31.41
22788	N/A	1" Manifold, 3/4" PEX x 3/4" PEX, 6 each 1/2" Pex branches 2" on center	1	17.92	24.13
22790	N/A	1" Manifold, 3/4" PEX x 3/4" PEX, 8 each 1/2" Pex branches 2" on center	1	22.72	34.81
22791	N/A	Copper Stubut Elbow, 4" x 8" with 1/2" PEX barb, closed end	1	*	5.15


PEX Clamp Tool and Tube Cutter

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
UC961	N/A	PEX Clamp Tool	1	1.44	305.74
U701	N/A	PEX Tube Cutter	1	0.32	12.30

PEX Clamps and Barb Fittings


P/N	Size	Description	Qty / bag	Weight per bag (lbs)	List Price Each
UC952	3/8"	3/8" Clamp	50	0.5	0.35
UC953	1/2"	1/2" Clamp	100	0.88	0.29
UC955	3/4"	3/4" Clamp	100	0.72	0.38
UC956	1"	1" Clamp	50	1.14	0.49
UC006	3/8"	3/8" Barb Coupling	50	0.95	0.78
UC008	1/2"	1/2" Barb Coupling	100	2.82	0.67
UC016	3/4"	3/4" Barb Coupling	100	4.44	0.95
UC020	1"	1" Barb Coupling	50	3.88	1.53
UC009	3/8" x 1/2"	3/8" x 1/2" Reducing Coupling	50	1.27	0.67
UC058	1/2" x 3/4"	1/2" x 3/4" Reducing Coupling	100	4.04	0.92
UC060	3/4" x 1"	3/4" x 1" Reducing Coupling	100	7.08	1.35
UC120	1/2" X 1/2"	1/2" X 1/2" MNPT Adapter	25	*	1.46
UC360	3/8" x 3/8" x 3/8"	3/8" x 3/8" x 3/8" Barb Tee	50	1.96	0.89
UC362	1/2" x 1/2" x 1/2"	1/2" x 1/2" x 1/2" Barb Tee	100	5.66	1.12
UC370	3/4" x 3/4" x 3/4"	3/4" x 3/4" x 3/4" Barb Tee	100	10.12	1.63
UC374	1" x 1" x 1"	1" x 1" x 1" Barb Tee	50	8.66	3.10
UC454	3/4" x 1/2" x 1/2"	3/4" x 1/2" x 1/2" Reducing Tee	100	9.84	1.78
UC444	3/4" x 1/2" x 3/4"	3/4" x 1/2" x 3/4" Reducing Tee	100	9.72	1.75
UC412	3/4" x 3/4" x 1/2"	3/4" x 3/4" x 1/2" Reducing Tee	100	10.14	1.79
UC414	1" x 3/4" x 3/4"	1" x 3/4" x 3/4" Reducing Tee	50	10.14	2.91
UC416	1" x 1" x 3/4"	1" x 1" x 3/4" Reducing Tee	50	8.68	2.99
UC246	3/8" x 3/8"	3/8" x 3/8" Barb Elbow	50	1.46	0.69
UC248	1/2" x 1/2"	1/2" x 1/2" Barb Elbow	100	4.2	0.80
UC256	3/4" x 3/4"	3/4" x 3/4" Barb Elbow	100	6.12	1.45
UC334	1/2" X 1/2"	1/2" X 1/2" FNPT Drop Ear Elbow	25	*	4.16
UC260	1" x 1"	1" x 1" Barb Elbow	50	7.06	2.22
UC274	1/2" X 3/4"	1/2" X 3/4" Reducing Barb Elbow	25	*	1.70
UC600	1/2" X 1/2"	Sweat Adapter 1/2" Barb X 1/2" Female Sweat	25	*	1.60
UC607	1/2" X 1/2"	Sweat Adapter 1/2" Barb X 1/2" Male Sweat	25	*	1.38
UC606	3/4" X 3/4"	Sweat Adapter 3/4" Barb X 3/4" Female Sweat	25	*	2.24
UC608	3/4" X 3/4"	Sweat Adapter 3/4" Barb X 3/4" Male Sweat	25	*	2.02
UC609	1" X 1"	Sweat Adapter 1" Barb X 1" Male Sweat	25	*	2.42

THERMOSTATICS



Heatguard® Thermostatic Mixing Valve-Heating Application


Mixing valves to ASSE 1017 for heating and radiant applications.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24174	See fittings	HG110HXS Valve only, lockable adjuster	24	48	100.00
24175	1/2"	HG110HXS 1/2" sweat fittings	24	48	108.75
24176	3/4"	HG110HXS 3/4" sweat fittings	24	48	113.00
24330	3/4"	HD110HXT 3/4" threaded (NPT)	24	*	124.00
24331	3/4"	HD110HXT 3/4" threaded (NPT) with checks	24	*	142.00
24177	1"	HG110HXS 1" sweat fittings	24	48	138.00
24180	See fittings	HG115H Valve only, high capacity	6	*	222.75
24184	3/4"	HG115HS 3/4" sweat fittings	6	*	235.75
24185	1"	HG115HS 1" sweat fittings	6	*	260.50
24321	1-1/4"	HG115H 1-1/4" sweat fittings	12	*	277.00
24322	1-1/4"	HG115H 1-1/4" sweat fittings with checks	12	*	302.00

Heatguard® Thermostatic Mixing Valve-Domestic Distribution


Mixing valves to ASSE 1017 for hot water distribution.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24234	See fittings	HG110D Valve only, 120°F (49°C) max	24	36	99.00
24229	1/2"	HG110DS 1/2" sweat fittings, 120°F (49°C) max	24	48	107.75
24230	3/4"	HG110DS 3/4" sweat fittings, 120°F (49°C) max	24	48	112.00
24231	1"	HG110DS 1" sweat fittings, 120°F (49°C) max	24	48	136.75
24192	See fittings	HG115D Valve only, high capacity, 120°F (49°C) max	6	*	222.75
24196	3/4"	HG115DS 3/4" sweat fittings, 120°F (49°C) max	6	*	235.75
24197	1"	HG115DS 1" sweat fittings, 120°F (49°C) max	6	*	260.50
24323	1-1/4"	HG115D 1-1/4" sweat fittings, 120°F (49°C) max	12	*	277.00
24324	1-1/4"	HG115D 1-1/4" sweat fittings, 120°F (49°C) max with checks	12	*	362.30

Heatguard® Thermostatic Mixing Valve-Point-of-Use


Mixing valves to ASSE 1016 - Point of use application. HG145 complete with fittings for sensor or manual faucets. 115°F (46°C) max.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24157	3/8"	HG145 Valve with 3/8" compression fittings	24	48	108.00
24165	3/8"	HG145 Valve with 3/8" compression fittings x 1/2" NPT x 3/8" compression outlet	24	48	112.00
24035	See fittings	HG160 Valve only, 115°F (46°C) max	24	36	122.25
24111	1/2"	HG160 SERV Valve with 4-in-1 service fittings	12	42	150.25
24103	1/2"	HG160 Valve with 1/2" Sweat with checks	24	*	128.00

Mixing Valve Fittings For HG-110 and HG-160

Fittings Packs (c/w three fittings) for use in conjunction with Heatguard 110 and Heatguard 160 base valves.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
Copper sweat connections.					
FS-24036	1/2"	1/2" sweat	24	12	9.00
FS-24037	3/4"	3/4" sweat	24	12	13.25
FS-24038	1"	1" sweat	12	12	38.50
FSCH-24039	1/2"	1/2" sweat with check	24	12	22.00
FSCH-24040	3/4"	3/4" sweat with check	24	12	26.25
Barbed connections to suit PEX pipe.					
FB-24041	1/2"	1/2" barb	24	12	22.00
FB-24042	3/4"	3/4" barb	24	12	24.75
FB-24043	1"	1" barb	12	*	35.50
FBCH-24044	1/2"	1/2" barb with check	24	12	34.75
FBCH-24045	3/4"	3/4" barb with check	24	12	37.75
FBCH-24046	1"	1" barb with check	12	*	48.50
Copper compression connections.					
FC-24048	1/2"	1/2" comp	24	24	26.75
FC-24049	3/4"	3/4" comp	24	24	30.25
FCCH-24051	3/8"	3/8" comp with check	24	12	39.75
FCCH-24052	1/2"	1/2" comp with check	24	12	39.75
FCCH-24053	3/4"	3/4" comp with check	24	24	43.00
Threaded connections.					
FT-24055	1/2"	1/2" female	24	12	23.25
FT-24056	3/4"	3/4" male	24	12	24.75
FTCH-24057	1/2"	1/2" female with check	24	12	36.25
FTCH-24058	3/4"	3/4" male with check	24	12	37.75


Mixing Valve Fittings For HG-110 and HG-160 (Continued)

Service fittings with threaded inlets, integral ball valve, strainer, check valve and test point.

FSERV-24061	1/2"	4-in-1 1/2" threaded	12	*	91.50
CPVC connections.					
FCPVC-24059	1/2"	1/2" CPVC	24	2.5	16.25
FCPVCCH-24060	1/2"	1/2" CPVC with check	24	2.5	20.50
FCPVC-24150	3/4"	3/4" CPVC	24	2.5	29.25
FCPVCCH-24151	3/4"	3/4" CPVC with check	24	2.5	33.50
Retro Fit Kits ** Kits come with 3/4" copper tube size tailpieces.					
FRTF-24311	1/2"	1/2" CTS retro fit tailpiece kit	24	2.5	13.30
FRTF-24312	3/4"	3/4" CTS retro fit tailpiece kit	24	2.5	14.09

Mixing Valve Fittings For HG-115


Fittings Packs (c/w three fittings) for use in conjunction with Heatguard 115 base valves.



P/N	Size	Description (Copper sweat connections.)	Qty / carton	Weight per carton (lbs)	List Price Each
F115S-24218	3/4"	3/4" sweat	24	3	13.25
F115S-24219	1"	1" sweat	12	3	38.50
F115SCH	3/4"	3/4" sweat with check	24	3	26.25
F115SCH-24235	1"	1" sweat with check	24	3	51.50
F115T-24220	3/4"	3/4" threaded connections	24	*	24.75
F115T-24221	1"	1" threaded connections	24	24	38.50
F115TCH	3/4"	3/4" threaded with check	24	*	37.75
F115TCH	1"	1" threaded with check	24	*	51.50
CPVC connections					
F115CPVC-24222	3/4"	3/4" CPVC	24	*	20.50
F115CPVC	1"	1" CPVC	24	*	33.50

Heatguard® TAFR Shut-off Device


Temperature actuated flow regulating devices to ASSE 1062.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24110	1/2"	Shower device	24	2.5	32.00
24108	1/2"	Tap device (for faucet spout)	24	2.5	37.75
24109	1/2"	Bath device (for tub spout)	24	2.5	38.80

Masterguard® Master Mixing Valves

Mixing valves for control of domestic hot water. ASSE 1017 listed.




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
MIX81001	in 1/2", out 3/4"	Master mixer with 4-in-1 service fittings	1	5	609.50
MIX82001	in 3/4", out 3/4"	Master mixer with 4-in-1 service fittings	1	6	668.00
MIX83001	in 3/4", out 1"	Master mixer with 4-in-1 service fittings	1	12	811.00
MIX84001	in 1", out 1-1/4"	Master mixer with 4-in-1 service fittings	1	13	922.25
MIX85001	in 1-1/4", out 1-1/2"	Master mixer with 4-in-1 service fittings	1	30	1,123.75
MIX86001	in 1-1/2", out 2"	Master mixer with 4-in-1 service fittings	1	29	1,293.25

Masterguard® Master Mixing Valves with cabinet assembly

Mixing valves for control of domestic hot water. ASSE 1017 listed.


P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
MIX81001C	in 1/2", out 3/4"	MIX810 with steel cabinet	1	49	1,534.73
MIX81001CS	in 1/2", out 3/4"	MIX810 with stainless steel cabinet	1	49	4,521.09
MIX81001CSC	in 1/2", out 3/4"	MIX810 with stainless steel cabinet & chrome plated pipe	1	49	5,073.36
MIX82001C	in 3/4", out 3/4"	MIX820 with steel cabinet	1	50.84	1,555.18
MIX82001CS	in 3/4", out 3/4"	MIX820 with stainless steel cabinet	1	50.84	4,541.54
MIX82001CSC	in 3/4", out 3/4"	MIX820 with stainless steel cabinet & chrome plated pipe	1	50.84	5,093.82
MIX83001C	in 3/4", out 1"	MIX830 with steel cabinet	1	56.44	1,862.00
MIX83001CS	in 3/4", out 1"	MIX830 with stainless steel cabinet	1	56.44	4,848.36
MIX83001CSC	in 3/4", out 1"	MIX830 with stainless steel cabinet & chrome plated pipe	1	56.44	5,543.82
MIX84001C	in 1", out 1-1/4"	MIX840 with steel cabinet	1	57.4	1,943.82
MIX84001CS	in 1", out 1-1/4"	MIX840 with stainless steel cabinet	1	57.4	4,930.18
MIX84001CSC	in 1", out 1-1/4"	MIX840 with stainless steel cabinet & chrome plated pipe	1	57.4	5,973.36

PRESSURE REGULATORS



EB-5 Pressure Regulators for Water


Standard pressure range 20-70 psi. For inlet pressure up to 300 psi. High capacity bronze body c/w in-built strainer. Low pressure (10-40 psi) and high pressure (71-150 psi) models available at 10% price premium.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-5	1/2"	Union inlet, in-built check	6	6	237.52
EB-5	3/4"	Union inlet, in-built check	6	6	212.09
EB-5	1"	Union inlet, in-built check	6	6	364.29
EB-5	1-1/4"	Union inlet, in-built check	4	16	701.81
EB-5	1-1/2"	Union inlet, in-built check	2	16	797.85
EB-5	2"	Union inlet, in-built check	2	35	1,101.76
EB-5	2-1/2"	Union inlet, in-built check	2	51	1,521.05

EB-25 Single Union Pressure Water Regulators for Water and Air


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set, double-union (Standard EB-25DU and EB25DU-400 available in both sweat and threaded connections). Low pressure (8-35 psi) and high pressure (400 inlet psi) 1/2"-1" models available at 10% price premium.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-25U	1/2"	Union inlet	12	31	114.48
EB-25U	3/4"	Union inlet	12	32	113.44
EB-25U	1"	Union inlet	12	33	124.68
EB-25U	1-1/4"	Union inlet	4	20	237.36
EB-25U	1-1/2"	Union inlet	4	24	359.00
EB-25U	2"	Union inlet	1	7	507.78

EB-25 Double Union Pressure Water Regulators for Water and Air


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set, double-union (Standard EB-25DU and EB25DU-400 available in both sweat and threaded connections). Low pressure (8-35 psi) and high pressure (400 inlet psi) 1/2"-1" models available at 10% price premium.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-25DU	3/4"	Union inlet and outlet / threaded or sweat (please specify)	12	32	114.00
EB-25DU	1"	Union inlet and outlet / threaded or sweat (please specify)	12	33	137.59
EB-25DU	1-1/4"	Union inlet and outlet / threaded or sweat (please specify)	4	33	291.02
EB-25DU	1-1/2"	Union inlet and outlet / threaded or sweat (please specify)	4	33	362.65
EB-25DU	2"	Union inlet and outlet / threaded or sweat (please specify)	1	33	512.86

EB-25SS Stainless Steel Body, Single Union Pressure Water Regulators for Water and Air


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-25SS	3/4"	Threaded NPT inlet	12	*	127.03
EB-25SS	1"	Threaded NPT inlet	12	*	129.30

EB-25SS Stainless Steel *Stainless Steel Body, Double Union Pressure Water Regulators for Water and Air*


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-25SS	3/4"	Double Union NPT (inlet and outlet)	12	*	142.09
EB-25SS	1"	Double Union NPT (inlet and outlet)	12	*	154.25

EB-25 with PEX Ends


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
22865-0045	3/4"	3/4" EB-25 with Double PEX Ends	12	*	169.33
22866-0045	3/4"	3/4" EB-25 with Double PEX Ends	12	*	169.33
22867-0045	1"	3/4" EB-25-400 with Double PEX Ends	12	*	172.70
22868-0045	1"	1" EB-25 with Double PEX Ends	12	*	172.70

EB-35 *Pressure Regulators for Water and Air*


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



Type	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-35	1/2"	Threaded NPT inlet	12	*	68.20
EB-35	3/4"	Threaded NPT inlet	12	*	67.56
EB-35	1"	Threaded NPT inlet	12	*	104.08

EB-35U *Single Union Pressure Water Regulators for Water and Air*


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-35U	1/2"	Union inlet / threaded or sweat (please specify)	12	*	77.71
EB-35U	3/4"	Union inlet / threaded or sweat (please specify)	12	*	74.49
EB-35U	1"	Union inlet / threaded or sweat (please specify)	12	*	114.66

EB-35DU *Double Union Pressure Water Regulators for Water and Air*


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-35DU	1/2"	Double Union inlet and outlet / threaded or sweat (please specify)	12	*	86.97
EB-35DU	3/4"	Double Union inlet and outlet / threaded or sweat (please specify)	12	*	81.13
EB-35DU	1"	Double Union inlet and outlet / threaded or sweat (please specify)	12	*	125.26

EB-35 with PEX Ends


Standard pressure range 20-90 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
22364-0045	3/4"	3/4" EB-35 with Double PEX Ends	12	*	86.98
22365-0045	1"	1" EB-35 with Double PEX Ends	12	*	138.63

EB-45 Pressure Regulators for Water and Air


Standard pressure range 10-70 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-45	1/2"	Threaded NPT inlet	12	*	50.11
EB-45	3/4"	Threaded NPT inlet	12	*	49.44
EB-45	1"	Threaded NPT inlet	12	*	54.15
EB-45	1-1/4"	Threaded NPT inlet	4	30	361.75
EB-45	1-1/2"	Threaded NPT inlet	4	50	503.33
EB-45	2"	Threaded NPT inlet	1	23	673.60
EB-45LP	3/4"	Threaded NPT inlet/Low Pressure valve set at 12 psi	12	*	68.68

EB-45U Single Union Pressure Regulators for Water and Air


Standard pressure range 10-70 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-45U	1/2"	Union inlet/threaded or sweat (please specify)	12	*	57.50
EB-45U	3/4"	Union inlet/threaded or sweat (please specify)	12	*	56.13
EB-45U	1"	Union inlet/threaded or sweat (please specify)	12	*	69.20
EB-45U	1-1/4"	Union inlet/threaded or sweat (please specify)	4	30	271.66
EB-45U	1-1/2"	Union inlet/threaded or sweat (please specify)	4	50	359.36
EB-45U	2"	Union inlet/threaded or sweat (please specify)	1	23	487.12
EB-45UH	1/2"	EB-45 High Pressure set range 71 to 150 Union inlet/threaded only	12	*	64.06
EB-45UH	3/4"	EB-45 High Pressure set range 71 to 150 Union inlet/threaded only	12	*	63.04
EB-45UH	1"	EB-45 High Pressure set range 71 to 150 Union inlet/threaded only	12	*	71.17
EB-45UH	1-1/2"	Union inlet/threaded only	4	50	395.30
EB-45UH	2"	Union inlet/threaded only	1	23	540.45

EB-45DU Double Union Pressure Regulators for Water and Air


Standard pressure range 10-70 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-45DU	1/2"	Double Union inlet and outlet / threaded or sweat (please specify)	12	*	65.52
EB-45DU	3/4"	Double Union inlet and outlet / threaded or sweat (please specify)	12	*	62.11
EB-45DU	1"	Double Union inlet and outlet / threaded or sweat (please specify)	12	*	78.64
EB-45DU	1-1/4"	Double Union NPT (inlet and outlet)/threaded or sweat (please specify)	4	30	292.95
EB-45DU	1-1/2"	Double Union NPT (inlet and outlet)/threaded or sweat (please specify)	4	50	391.95
EB-45DU	2"	Double Union NPT (inlet and outlet)/threaded or sweat (please specify)	1	23	525.78

EB-45 W/PEX ENDS

Standard pressure range 10-70 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-45	3/4"	3/4" EB-45 with Double PEX Ends	12	*	63.60
EB-45	1"	1" EB-45 with Double PEX Ends	12	*	79.59

EB-45 W/CPVC Ends

Standard pressure range 10-70 psi. Cartridge style with indicator showing pressure set. Factory Set at 45 or 60 psi.


P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-45	3/4"	3/4" EB-45 with Double CPVC Ends	12	*	59.45
EB-45	1"	1" EB-45 with Double CPVC Ends	12	*	69.23

EB-45 Temporary Bypass Kits

P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
22930	3/4"	EB-45 double union temporary bypass with NPT threaded connections	12	*	30.35
22931	3/4"	EB-45 double union temporary bypass with sweat connections	12	*	30.35
22932	3/4"	EB-45 double union temporary bypass with CPVC connections	12	*	27.28
22933	3/4"	EB-45 double union temporary bypass with PEX connections	12	*	32.28
22934	3/4"	EB-45 double union temporary bypass with SharkBite connections	12	*	57.98
22937	1"	EB-45 double union temporary bypass with NPT threaded connections	12	*	44.65
22938	1"	EB-45 double union temporary bypass with sweat connections	12	*	44.65
22939	1"	EB-45 double union temporary bypass with PEX connections	12	*	45.48
22942	1-1/4"	EB-45 double union temporary bypass with NPT threaded connections	12	*	103.63
22943	1-1/4"	EB-45 double union temporary bypass with sweat connections	12	*	103.63
22952	1"	EB-45 double union temporary bypass with CPVC connections	12	*	32.85

EB-75 Pressure Regulators for Water & Air

Iron body. Standard pressure range 10-70 psi. (Low pressure range 0-20 psi available)



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-75	1/2"	Threaded inlet and outlet	12	19.5	47.07
EB-75	3/4"	Threaded inlet and outlet	12	27	45.57


E-75P Pressure Regulators for Propane

Plastic T-Handle, diaphragm liner. Standard pressure range 0-20 psi.

P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
EB-75P	1/2"	Threaded inlet	12	19.5	51.35

E-3 Pressure Regulators for Water and Air


Standard pressure range 20-70 psi. For inlet pressures up to 300 psi. High capacity body with strainer. Low pressure outlet (10-40 psi) and high pressure outlet (71-150 psi) models available at a 10% price premium.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
E-3	1/2"	Threaded inlet and outlet	6	21	228.25
E-3	3/4"	Threaded inlet and outlet	6	30.5	274.33
E-3	1"	Threaded inlet and outlet	4	34.5	527.45
E-3	1-1/4"	Threaded inlet and outlet	2	23.5	966.83
E-3	1-1/2"	Threaded inlet and outlet	2	35	1,187.27
E-3	2"	Threaded inlet and outlet	2	49	1,855.12

E-41 Pressure Regulators for Water and Air


Standard pressure range 20-70 psi. For inlet pressures up to 300 psi. High capacity without strainer. Low pressure outlet (10-40 psi) and high pressure outlet (71-150 psi) models available at a 10% price premium.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
E-41	1/2"	Threaded connections	6	20	204.60
E-41	3/4"	Threaded connections	6	27	314.27
E-41	1"	Threaded connections	6	17	394.53
E-41	1-1/4"	Threaded connections	2	19	635.68
E-41	1-1/2"	Threaded connections	2	24	1,043.72
E-41	2"	Threaded connections	2	34	1,534.59

E-56 Pressure Regulators for Water and Air


Highest capacity regulator. Bronze body. High temperature (up to 240°F [116°C]) available at a 10% price premium (please specify). Various ranges from 15 to 125 psi.



P/N	Size	Connections	Qty / carton	Weight per carton (lbs)	List Price Each
E-56	2"	Threaded connections	1	26	1,481.62
E-56	2-1/2"	Threaded connections	1	26	1,705.93
E-56	3"	Threaded connections	1	29	2,435.81
E-56	2"	150# flanged ends	1	38	2,040.02
E-56	2-1/2"	150# flanged ends	1	38	2,790.23
E-56	3"	150# flanged ends	1	42	3,090.45

PSL Pressure Limiting Valve

Suitable for inlet pressures up to 300 psi. Brass body. Tamper resistant.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22138	3/8"	NPT	1	1.5	57.13
22139	1/2"	NPT	1	1.5	57.13
22140	3/8"	Compression	1	1.5	60.78
22141	1/2"	Compression	1	1.5	64.08
22142	3/4"	3/4" hose connection	1	1.5	75.54

Pressure Regulator Kits Blanking Cap Kits for the Cartridge Style Regulators

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22792	3/4"	3/4" inlet blank kit for the 3/4" EB-25, EB-35 & EB-45	50	*	3.95
22616	1"	1" inlet blank kit for the 1" EB-25, EB-35 & EB-45	50	*	11.94
22617	1-1/4"	1-1/4" inlet blank kit for the 1" EB-25, EB-35 & EB-45	50	*	22.42
22224	1/2" - 1"	direct burial kit 1/2" - 1" EB-25, EB-35 & EB-45	12	.5	11.50

RELIEF VALVES



NCLX Domestic Temperature and Pressure Relief Valves

Standard sets at 125 or 150 psi. 3/4" NCLX also available at 175 psi (not ASME rated). Valves with extended inlets: NCLX-5L = 2-3/32", NCLX-5LS = 2-5/8", NCLX-5LX = 2-1/3", NCLX-A = 3-1/3" (shank length measured from bottom of outlet). *Must specify set pressure.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
NCLX-1	1/2"	1" element, AGA	50	24	19.77
NCLX-1	3/4"	1" element, AGA & ASME	50	26	15.55
NCLX-5	1/2"	4" element, AGA	50	27	13.63
NCLX-5	3/4"	4" element, AGA & ASME	50	29	11.73
NCLX-5L	3/4"	AGA & ASME 2-3/32" shank	50	32	15.37
NCLX-5LS	3/4"	AGA & ASME 2-5/8" shank	100	100	20.02
NCLX-5LX	3/4"	AGA & ASME 2-1/3" shank	100	50	16.27
NCLX-8	3/4"	8" stem, AGA & ASME	50	31	15.58
NCLX-A	3/4"	4" stem, AGA & ASME	50	29	22.30

NCLX Domestic Temperature and Pressure Relief Valves for Water Heaters Using PEX Tubing

NCLX-5, NCLX-5LX and NCLX-A Set @ 100 psi and 180°F for water heaters using PEX tubing.

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22830-0100	3/4"	ASME NCLX-5 For Water Heaters using PEX tubing	50	27	12.96
22831-0100	3/4"	ASME NCLX-5LX For Water Heaters using PEX tubing	50	29	15.38
22832-0100	3/4"	ASME NCLX-A For Water Heaters using PEX tubing	50	29	22.30

FV Commercial Temperature and Pressure Relief Valves


High capacity, AGA & ASME listed. *Must specify set pressure.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
FVX-3C	3/4"	Female inlet	24	30	110.25
FVX-5C	3/4"	Female inlet	24	30	122.85
FVX-8C	3/4"	Female inlet	24	30	134.75
FVMX-3C	3/4"	Male inlet	24	30	76.56
FVMX-5C	3/4"	Male inlet	24	30	59.30
FVMX-8C	3/4"	Male inlet	18	30	122.50
FVMX-1LS	3/4"	Male inlet	24	30	221.67
FVX-3C	1"	Female inlet	24	36	162.28
FVX-5C	1"	Female inlet	24	36	189.29
FVMX-3C	1"	Male inlet	24	36	110.25
FVMX-5C	1"	Male inlet	24	36	80.21
FVX-5L	1"	Female inlet	20	40	233.33
FVX-8L	1"	Female inlet	20	40	275.63
FVMX-4L	1-1/4" X 1"	Male inlet	6	18	275.63
FVX-4	1-1/2"	Female inlet	2	10.5	581.88
FVMX-3	2" X 1-1/2"	Male inlet	2	10.5	612.50

FW Pressure Relief Valves

Pressure only valves. *Must specify set pressure.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
FW	1/2"	Pressure only	50	31.5	33.59
FW	3/4"	Pressure only	50	31.5	33.59
FWL-2	1/2"	Pressure only	50	37.5	10.50
FWL-2	3/4"	Pressure only, AGA & ASME rated	50	37.5	12.18

F-30, F-82 ASME Pressure Relief Valves


Pressure only, for hot water, high capacity. *Must specify set pressure.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
F-30	3/4"	30 lb setting only	50	37.5	15.20
F-82	3/4"	Bronze body with lever	24	29	53.75
F-82	1"	Bronze body with lever	12	24	63.08
F-82	1-1/4"	Bronze body with lever	6	19.5	226.86
F-82	1-1/2"	Bronze body with lever	6	26.5	286.73
F-82	2"	Bronze body with lever	4	36	391.24

F-95 ASME Pressure Relief Valves

Pressure only, for hot water. *Must specify set pressure.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
F-95	3/4" X 1"	Iron body, ASME listed	1	1.3	46.63
F-95	1" X 1-1/4"	Iron body, ASME listed	1	2.6	86.98
F-95	1-1/4" X 1-1/2"	Iron body, ASME listed	1	4	233.18
F-95	1-1/2" X 2"	Iron body, ASME listed	1	5.8	247.49
F-95	2" X 2-1/2"	Iron body, ASME listed	1	10.8	457.78

F Economy Series Relief Valves (125-175)



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
F	1/2"	Pressure only, male inlet / female outlet	50	25	27.33
FP	1/2" X 3/8"	Pressure only, male inlet / 3/8" female outlet	50	25	21.86

FWC Adjustable Pressure Relief Valves

Calibrated stem. Pressure range 25-175 psi.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
FWC	1/2"	Pressure only	50	37.5	31.25
FWC	3/4"	Pressure only	50	37.5	31.25

FWOL Pressure Only Relief Valves without Lift Lever

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22834-0125	3/4"	Pressure only, male inlet / female outlet without lift lever	50	30	16.67
22835-0100	3/4"	Pressure only, male inlet / female outlet without lift lever	50	30	16.67
22836-0075	3/4"	Pressure only, male inlet / female outlet without lift lever	50	30	16.67
22862-0100	1/2"	Pressure only, male inlet / female outlet without lift lever	50	29	14.68
22863-0075	1/2"	Pressure only, male inlet / female outlet without lift lever	50	29	14.68
22864-0125	1/2"	Pressure only, male inlet / female outlet without lift lever	50	29	14.68


VR-801 Vacuum Relief Valves

Calibrated stem.




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
18138	1/2"	Drilled vent	50	20	12.75
18139	3/4"	Drilled vent	50	20	10.00
22397	1/2"	Drilled vent, w/dust cover	50	20	13.00
22398	3/4"	Drilled vent, w/dust cover	50	20	10.50

BACKFLOW PREVENTION




Cash-Flo™ RPZE Reduced Pressure Zone Backflow Preventer




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B9399E	1/2"	RPZEII, reduced pressure zone backflow preventer	1	4.5	237.98
B9300E	3/4"	RPZEII, reduced pressure zone backflow preventer	1	5	264.34
B9201E	1"	RPZE, reduced pressure zone backflow preventer	1	9.5	335.44
B9202E	1-1/4"	RPZE, reduced pressure zone backflow preventer	1	13	579.86
B9203E	1-1/2"	RPZE, reduced pressure zone backflow preventer	1	27.5	761.25
B9204E	2"	RPZE, reduced pressure zone backflow preventer	1	32	699.42

Cash-Flo RPZ Reduced Pressure Zone Backflow Preventer




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B9205	2-1/2"	RPZ, reduced pressure zone backflow preventer	1	*	2,313.53
B9206	3"	RPZ, reduced pressure zone backflow preventer	1	*	2,429.50
B9207	4"	RPZ, reduced pressure zone backflow preventer	1	*	3,197.80
B9209	6"	RPZ, reduced pressure zone backflow preventer	1	*	4,743.75
B92010	8"	RPZ, reduced pressure zone backflow preventer	1	*	8,997.50

Cash-Flo DCVE Double Check Valve Backflow Preventer



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B9100E	3/4"	DCVE, double check valve backflow preventer	1	7.25	175.28
B9101E	1"	DCVE, double check valve backflow preventer	1	8.25	188.79
B9103E	1-1/2"	DCVE, double check valve backflow preventer	1	23.5	404.56
B9104E	2"	DCVE, double check valve backflow preventer	1	28	480.93

Cash-Flo DCV Double Check Valve Backflow Preventer



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B9105	2-1/2"	DCV, double check valve backflow preventer	1	154	1,913.30
B9106	3"	DCV, double check valve backflow preventer	1	176	2,044.68
B9107	4"	DCV, double check valve backflow preventer	1	290	2,532.08
B9109	6"	DCV, double check valve backflow preventer	1	447	3,964.80
B91010	8"	DCV, double check valve backflow preventer	1	695	7,498.90

Cash-Flo PVB Pressure Vacuum Breaker

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B9500	3/4"	PVB, pressure vacuum breaker with check valve	1	*	120.38
B9501	1"	PVB, pressure vacuum breaker with check valve	1	*	130.51
4V-506-02	1-1/4"	PVB, pressure vacuum breaker with check valve	1	*	395.45
4V-507-02	1-1/2"	PVB, pressure vacuum breaker with check valve	1	*	412.00
4V-508-02	2"	PVB, pressure vacuum breaker with check valve	1	*	496.61

Air Gaps

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
8273599	1/2" - 3/4"	Polycarbonate Air Gap RPZE II	1	*	20.72
8273500	3/4" - 2"	Polycarbonate Air Gap RPZE II	1	*	21.78
84735	2-1/2 - 3"	Iron Air Gap	1	*	126.23
84737	4", 6", 8"	Iron Air Gap	1	*	342.92

Single Check Valves

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B9016EG	3"	3" SCV, Single Check Grooved	1	*	1,060.93
B9016E	3"	3" SCV, Single Check Flange	1	*	1,248.75
B9017EG	4"	4" SCV, Single Check Grooved	1	*	1,270.00
B9017E	4"	4" SCV, Single Check Flange	1	*	1,457.83
B9019EG	6"	6" SCV, Single Check Grooved	1	*	2,546.18
B9019E	6"	6" SCV, Single Check Flange	1	*	2,802.55

Repair Parts

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
B93RK99	1/2" & 3/4"	RPZE II	1	0.1	18.65
B92RK00	3/4" & 1"	RPZE	1	0.12	28.30
B92RK02	1-1/4"	RPZE	1	0.12	33.68
B93RK03	1-1/2"	RPZE II	1	0.14	38.87
B92RK03	1-1/2" & 2"	RPZE	1	0.2	41.66
B92RK05	2-1/2" & 3"	RPZ	1	0.6	89.39
B92RK07	4"	RPZ	1	1.02	207.43
B92RK09	6"	RPZ	1	1.52	355.78
B92RK10	8"	RPZ	1	2.58	586.13
9383395E	1/8"	1/8" Test Cock	6	*	22.95
9383397E	1/4"	1/4" Test Cock	6	*	12.65

Nipples

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22812	1/2"	Close Nipple	1	*	2.48
22807	3/4"	Close Nipple	1	*	6.88
22808	1"	Close Nipple	1	*	10.16
22809	1-1/4"	Close Nipple	1	*	15.28
22810	1-1/2"	Close Nipple	1	*	19.82
22811	2"	Close Nipple	1	*	30.16


BackFlow Accessory Kit *Kits consist of a Closed Nipple, Y-Strainer and Air Gap*

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22812	1/2"	Accessory Kit for CB9339E	1	*	32.96
22813	3/4"	Accessory Kit for CB9300E	1	*	45.32
22814	3/4"	Accessory Kit for CB9200E	1	*	45.90
22815	1"	Accessory Kit for CB9201E	1	*	59.90
22816	1-1/4"	Accessory Kit for CB9202E	1	*	86.18
22817	1-1/2"	Accessory Kit for CB9203E	1	*	107.53
22818	2"	Accessory Kit for CB9204E	1	*	160.07

BackFlow Test Kit


P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
89907	-	Test Kit for all RPZEII, DVCE and PVB Cash-Flo™ Products	1	*	1,806.25

BF Series *Dual Check Backflow Preventer*



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
17217	3/4"	BF1, dual check, threaded union inlet	12	18	29.00
17218	1"	BF1, dual check, threaded union inlet	12	18	38.00
22343	1" X 3/4"	BF5, dual check, swivel nut union inlet	12	18	42.00

BFP Series *Continuous Type Backflow Preventer with Atmospheric Vent*



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
21574	1/2"	BFP, continous type, female union inlet and outlet	12	18	38.25
21575	3/4"	BFP, continous type, female union inlet and outlet	12	18	38.25
22760	1/2"	BFP, continous type, copper sweat union inlet and outlet	12	18	42.00
21762	3/4"	BFP, continous type, copper sweat union inlet and outlet	12	18	42.00

V-3 *Vacuum Breakers - Hose Bibb Type*



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
17148	3/4"	V-3, vacuum breaker, hose bibb type with locking screw	20	5	4.50
17195	3/4"	V-3C, vacuum breaker, hose bibb type, chrome plated	20	5	6.00

VB-222 *Vacuum Breakers - Self Draining, Freeze Proof*




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
19600	3/4"	VB-222, vacuum breaker, self draining with locking screw	50	15.5	9.76

VAP *Automatic Plumbing Vent*



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
14938	1-1/2"	VAP, automatic vent, plastic construction	100	8.5	5.86

V-101 Anti-Siphon Vacuum Breakers




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
17383	1/2"	V-101, anti-siphon, brass, 212°F (100°C) max	50	34	13.24
17384	3/4"	V-101, anti-siphon, brass, 212°F (100°C) max	24	26	17.35
17385	1"	V-101, anti-siphon, brass, 212°F (100°C) max	12	22	25.63
17389	1/2"	V-101C, anti-siphon, chrome, 212°F (100°C) max	50	34	22.35
17390	3/4"	V-101C, anti-siphon, chrome, 212°F (100°C) max	24	26	25.26
17391	1"	V-101C, anti-siphon, chrome, 212°F (100°C) max	12	22	29.97
17386	1-1/4"	Brass, 212°F (100°C) max	1	*	72.71
17387	1-1/2"	Brass, 212°F (100°C) max	1	*	147.38
17388	2"	Brass, 212°F (100°C) max	1	*	229.31



EXPANSION TANKS

T Series Expansion Tanks


Expansion tanks for heating applications.



P/N	Size	Description	Qty / skid	Weight per carton (lbs)	List Price Each
24062	2 gal	T-15 Heating tank	90	540	45.74
24063	5 gal	T-30 Heating tank	40	440	53.27
24064	7 gal	T-60 Heating tank	30	360	114.89
24065	15 gal	T-90 Heating tank	10	240	172.68

TV Series Floor Standing Expansion Tanks

Floor standing expansion tanks for heating applications.



P/N	Size	Description	Qty / skid	Weight per carton (lbs)	List Price Each
24066	15 gal	TV-30 Heating tank, floor standing	8	184	195.89
24067	20 gal	TV-40 Heating tank, floor standing	4	160	202.74
24068	36 gal	TV-60 Heating tank, floor standing	4	164	259.62
24069	40 gal	TV-90 Heating tank, floor standing	2	190	611.17
24071	96 gal	TV-160 Heating tank, floor standing	2	210	649.62


TE Series Thermal Expansion Tanks

Thermal expansion tanks for domestic hot water.




P/N	Size	Description	Qty / skid	Weight per carton (lbs)	List Price Each
24072	2.1 gal	TE-5 Thermal expansion tank	90	540	54.49
24073	5.5 gal	TE-12 Thermal expansion tank	40	440	80.97
24075	9.0 gal	TE-25 Thermal expansion tank	20	240	200.12

GENERAL PLUMBING PRODUCTS




Y Strainers



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22415	1/4"	150 W.O.G, Threaded	10	5	16.80
22416	3/8"	150 W.O.G, Threaded	10	5	15.98
22417	1/2"	Brass Strainer w/ FIP Threads	10	10	15.94
22418	3/4"	Brass Strainer w/ FIP Threads	8	8	23.45
22419	1"	Brass Strainer w/ FIP Threads	8	12	34.14
22420	1-1/4"	Brass Strainer w/ FIP Threads	6	15	53.85
22421	1-1/2"	Brass Strainer w/ FIP Threads	4	12	70.45
22422	2"	Brass Strainer w/ FIP Threads	1	*	111.90
22423	2-1/2"	Brass Strainer w/ FIP Threads	1	*	233.89
22424	3"	Brass Strainer w/ FIP Threads	1	*	282.52
87145	2-1/2"	Cast Iron Strainer w/ Flange	1	26.48	314.42
87146	3"	Cast Iron Strainer w/ Flange	1	37.12	389.25
87147	4"	Cast Iron Strainer w/ Flange	1	*	640.54
87146	6"	Cast Iron Strainer w/ Flange	1	*	1,051.38

Water Hammer Arrestors *Domestic*



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
CM-500TH	1/2"	Threaded	100	48	20.82
CM-500SWA	1/2"	Sweat	100	45	20.82
CM-500L	3/4"	Laundry application. hot/cold arrestor. Two per box	50	43	42.90

Water Hammer Arrestors *Commercial*




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
CC-500A	1/2"	Threaded	50	36	25.47
CWA-500A	1/2"	Sweat	50	32	25.47
CC-750B	3/4"	Threaded	50	42	28.22
CWA-750B	3/4"	Sweat	50	36	28.22
CC-1000C	1"	Threaded	25	39	71.67
CWA-1000C	1"	Sweat	25	35	71.67
CC-1250D	1-1/4"	Threaded	1	2	88.28
CWA-1250D	1-1/4"	Sweat	1	2	88.28
CC-1500E	1-1/2"	Threaded	1	5	120.42
CWA-1500E	1-1/2"	Sweat	1	4	120.42
CC-2000F	2"	Threaded	1	7	191.92
CWA-2000F	2"	Sweat	1	7	191.92

WM-1, WM-2 *Washing Machine Shut-off Valves*




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
16962	1/2"	WM-1 Male threaded	24	32	32.01
17087	1/2"	WM-2 Copper sweat	24	31	33.15

2000 Series Ball Valves




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
Threaded connections. CSA, FM, NSF 61-8, UL (1/4" to 2").					
20810-101	1/4"	Full Port, 600 WOG	24	12	8.16
20810-102	3/8"	Full Port, 600 WOG	24	12	8.35
20810-103	1/2"	Full Port, 600 WOG	24	12	7.15
20810-104	3/4"	Full Port, 600 WOG	12	6	9.55
20810-105	1"	Full Port, 600 WOG	12	12	18.21
20810-106	1-1/4"	Full Port, 600 WOG	6	12	22.33
20810-107	1-1/2"	Full Port, 600 WOG	6	18	28.21
20810-108	2"	Full Port, 600 WOG	2	10	42.75
Copper sweat connections.					
20810-203	1/2"	Full Port, 600 WOG	24	12	4.62
20810-204	3/4"	Full Port, 600 WOG	12	12	7.58
20810-205	1"	Full Port, 600 WOG	12	12	11.04

In-Line Check Valves




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22508	3/8"	Female Threaded	12	*	12.62
22509	1/2"	Female Threaded	12	*	14.73
22510	3/4"	Female Threaded	12	*	18.91
22511	1"	Female Threaded	6	*	24.54
22512	1-1/4"	Female Threaded	1	*	28.38
22513	1-1/2"	Female Threaded	1	*	39.11
22514	2"	Female Threaded	1	*	55.13

GENERAL HEATING PRODUCTS




A Series Boiler Feed Valves

AB-40 & A-43 bronze body, A-89 iron body.



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
20661-0012	3/4"	A-41 Boiler feed valves	12	36	84.00
12214-0014	1/2"	AB-40 Combo union, in-built bypass	12	24	99.13
15824	1/2"	A-43CRF Union inlet, copper, rapid fill	24	34.5	152.97
21806	1/2"	A-89 Threaded, rapid fill	24	28.5	84.55
22064	1/2"	A-89C Threaded, rapid fill, copper sweat	24	32	92.82

BFAC Combination Backflow Preventer and Pressure Regulating Valve




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
21807	1/2"	BFA Combination Backflow Preventer/PRV	12	60	126.50
21899	1/2"	BFAC Combination Backflow Preventer/PRV, copper sweat	12	60	145.04

CBL Dual Control for Hot Water Boilers - Deluxe Model




P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
02323	1/2"	CBL Bronze Body (specify story)	6	58.5	376.32

CQ, CR Dual Control for Hot Water Boilers - Economy Model



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
07045	1/2"	CQ-M Bronze body, union inlet (specify story)	10	28.5	226.67
18394-0002	1/2"	CR Iron body, threaded, rapid fill	10	30	161.00
18398-0002	1/2"	CRC Iron body, copper sweat, rapid fill	10	30	144.90

AP Series Air Purgers



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24083	1"	Air purger 1"	6	24	22.01
24084	1-1/4"	Air purger 1-1/4"	6	18	22.01
24085	1-1/2"	Air purger 1-1/2"	2	16	57.01
24086	2"	Air purger 2"	2	16	71.91
24087	2-1/2"	Air purger 2-1/2"	1	16	141.58
24088	3"	Air purger 3"	1	24	157.58
24089	4"	Air purger 4" flanged	1	53	414.58

AV Series Air Vents



P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
24090	1/8"	Air vent 1/8" brass	24	48	7.63
24091	1/4"	Air vent 1/4" brass	24	48	7.63
24092	1/2"	Air vent 1/2" nickel plated	12	*	29.29
24093	3/4"	Air vent 3/4" nickel plated	12	*	32.25
24094	1"	Air vent 1" nickel plated	6	6	35.18
24095	3/4"	Air vent high capacity nickel	6	56	158.24

REPAIR KITS



EB-5 and EB-24 Repair Kits

Springs not included

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
10341	1/2"	EB-5/EB-24 Repair kit 10341	1	.5	53.38
10342	3/4"	EB-5/EB-24 Repair kit 10342	1	.5	79.39
10343	1"	EB-5/EB-24 Repair kit 10343	1	.5	91.82
10550	1-1/4"	EB-5/EB-24 Repair kit 10550	1	.5	179.46
10551	1-1/2"	EB-5/EB-24 Repair kit 10551	1	.5	214.20
10552	2"	EB-5/EB-24 Repair kit 10552	1	.5	275.47
10553	2-1/2"	EB-5/EB-24 Repair kit 10553	1	.5	451.17

EB-25 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22208	1/2"-1"	Repair kit for EB-25 includes, Cartridge, Screen, O-ring	12	.5	75.20
22118	1/2"-1"	Repair kit for EB-25 includes, O-ring, Screen	12	.5	8.11
22219	1/2"-1"	Repair kit for EB-25 includes, blanking cap, Screen, O-ring 22219	12	.5	14.41
22224	1/2"-1"	Repair kit for EB-25 includes, Closing cap, O-ring 22224	12	.5	11.50
22248	1-1/4"-2"	Repair kit for EB-25 includes, Cap, O-ring 22248	12	.5	16.93
22226	1-1/4"-2"	Repair kit for EB-25 includes, Cartridge, Screen, O-ring 22226	6	.5	203.05
22593	1-1/4"-2"	Repair kit for EB-25 includes, Screen, O-ring, 22593	6	.5	16.09

EB-25 Contractor Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22284	3/4"	Contractor Kit for EB-25, Threaded, single union	12	.5	49.53
22344	3/4"	Contractor Kit for EB-25, Threaded, double union	12	.5	50.77
22311	3/4"	Contractor Kit for EB-25, Sweat, single union	12	.5	49.58
22314	3/4"	Contractor Kit for EB-25, Sweat, double union	12	.5	50.45
22285	1"	Contractor Kit for EB-25, Threaded, single union	12	.5	60.76
22345	1"	Contractor Kit for EB-25, Threaded, double union	12	.5	71.38
22312	1"	Contractor Kit for EB-25, Sweat, single union	12	.5	60.76
22315	1"	Contractor Kit for EB-25, Sweat, double union	12	.5	71.38
22286	1-1/4"	Contractor Kit for EB-25, Threaded, single union	6	.5	112.40
22346	1-1/4"	Contractor Kit for EB-25, Threaded, double union	6	.5	143.17
22313	1-1/4"	Contractor Kit for EB-25, sweat, single union	6	.5	99.49
22316	1-1/4"	Contractor Kit for EB-25, sweat, double union	6	.5	117.51
22320	1-1/2"	Contractor Kit for EB-25, sweat, single union	1	*	170.35
22374	2"	Contractor Kit for EB-25, sweat, single union	1	*	189.00

EB-35 Blanking Kits 1/2", 3/4" and 1"

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22587	1/2" - 3/4"	Blanking Cap, O-Ring 22587	1	*	13.49
22588	1"	Blanking Cap, O-Ring 22588	1	*	15.62

EB-35 Contractor Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22552	1/2"	Contractor kit, Direct threaded	12	*	43.65
22553	1/2"	Contractor kit, Threaded, single union	12	*	47.54
22554	1/2"	Contractor kit, Threaded, double union	12	*	38.90
22555	1/2"	Contractor kit, Sweat, single union	12	*	43.37
22556	1/2"	Contractor kit, Sweat, double union	12	*	53.86
22557	3/4"	Contractor kit, Direct threaded	12	*	67.41
22558	3/4"	Contractor kit, Threaded, single union	12	*	59.15
22559	3/4"	Contractor kit, Threaded, double union	12	*	69.45
22560	3/4"	Contractor kit, Sweat, single union	12	*	72.47
22561	3/4"	Contractor kit, Sweat, double union	12	*	71.35
22562	1"	Contractor kit, Direct threaded	12	*	90.24
22563	1"	Contractor kit, Threaded single union	12	*	89.60
22564	1"	Contractor kit, Threaded double union	12	*	82.46
22565	1"	Contractor kit, Sweat, single union	12	*	67.84
22566	1"	Contractor kit, Sweat, double union	12	*	80.53
22567	1"	Contractor kit, Sweat, single union w/o Screen Blanking cap and O-Ring	12	*	68.70

EB-35 Repair Kits

NOTE: EB-35 repair kit orders must be made in carton quantities.

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
22350	3/4"	Includes, Cartridge, Screen, O-ring, 45 set psi	48	*	35.26
22351	1"	Includes, Cartridge, Screen, O-ring, 45 set psi	48	*	62.92
22497	3/4"	Includes, Cartridge, Screen, O-ring, 60 set psi	48	*	37.18
22498	1"	Includes, Cartridge, Screen, O-ring, 60 set psi	48	*	62.92

EB-45 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
Repair Kit	All	Cartridge, Screen, O-ring, 45 set psi, 22595	48	*	23.04

EB-86 / EB-600 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
14510	1/2"	Repair kit 14510	1	*	44.18
14511	1/2" or 3/4"	Repair kit 14511	1	.5	44.18
14512	1"	Repair kit 14512	1	.5	53.65
17073	1-1/4"	Repair kit 17073	1	.5	126.23
17078	1-1/2"	Repair kit 17078	1	.5	135.69
17083	2"	Repair kit 17083	1	.5	151.47

EB-87 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
17703	1/2" and 3/4"	Repair kit	1	.5	42.60
17908	1"	Repair kit	1	.5	52.07

EB-75 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
15341	1/2" and 3/4"	Repair kit	1	.5	40.42

E-3 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
11488	1/2"	Repair kit	1	.5	63.62
11489	3/4"	Repair kit	1	.5	76.21
11490	1"	Repair kit	1	.5	110.76
11491	1-1/4"	Repair kit	1	.5	166.62
11492	1-1/2"	Repair kit	1	.5	210.48
11493	2"	Repair kit	1	.5	263.81

E-3 Low Pressure Repair Kits

10-40 psi range

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
15882	1/2"	Repair kit	1	.5	71.85
12741	3/4"	Repair kit	1	.5	80.18
15885	1"	Repair kit	1	.5	114.55
15851	1-1/4"	Repair kit	1	.5	183.28
15887	1-1/2"	Repair kit	1	.5	201.33
15889	2"	Repair kit	1	.5	263.81

E-3 High Pressure Repair Kits

71-150 psi range

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
15884	3/4"	Repair kit	1	.5	81.64
15891	1"	Repair kit	1	.5	113.51
15886	1-1/4"	Repair kit	1	.5	174.95
15890	2"	Repair kit	1	.5	277.00

E-41 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
11259	1/2"	Repair kit	1	.5	49.48
11260	3/4"	Repair kit	1	.5	59.07
11261	1"	Repair kit	1	.5	87.10
11262	1-1/4"	Repair kit	1	.5	131.91
11263	1-1/2"	Repair kit	1	.5	145.16
11264	2"	Repair kit	1	.5	189.34

E-41 Low Pressure Repair Kits

10-40 psi range

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
15145	1"	Repair kit	1	.5	83.31
15146	1-1/4"	Repair kit	1	.5	145.10
15147	1-1/2"	Repair kit	1	.5	159.67
15148	2"	Repair kit	1	.5	208.27

E-56 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
20778	All	Repair kit	1	.5	189.34
20779	All	Repair kit, high temp	1	.5	302.27

Thermostatic Mixing Valve Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
Heatguard	1/2"	Repair kit for HG110	1	*	-
Heatguard	3/4"	Repair kit for HG160	1	*	-

Masterguard® Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
Repair Kit	N/A	Repair Kit for 820 MS137	1	*	19.85
Repair Kit	N/A	Repair Kit for 830/840 MS138	1	*	22.85
Repair Kit	N/A	Repair Kit for 850/860 MS139	1	*	25.63
Replacement Kit	N/A	Replacement Kit for 810 MS140	1	*	57.20
Replacement Kit	N/A	Replacement Kit for 820 MS141	1	*	65.83
Replacement Kit	N/A	Replacement Kit for 830/840 MS142	1	*	156.88
Replacement Kit	N/A	Replacement Kit for 850/860 MS143	1	*	354.73
Repair Kit	N/A	Repair Kit for 8510 MS144	1	*	18.23

BF Series Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
17373	All	Repair kit	1	.5	31.56

BFP Series Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
17528	All	Repair kit	1	.5	15.78

WM-1, WM-2 Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
16976	All	Repair kit	1	.5	42.60

CBL, CQM Series Repair Kits

P/N	Size	Description	Qty / carton	Weight per carton (lbs)	List Price Each
13025	1/2"	Repair kit	1	.5	274.54
9707	1/2"	Repair kit	1	.5	63.11

Minimum Billing

Minimum order value is \$70.00.

Freight Allowance

Shipping Terms for all Cash Acme Products except PEX tubing and 2-1/2" and above Backflow preventers

Shipments of less than \$1700 for all products except PEX tubing and 2-1/2" and above Backflows are F.O.B. Montreal. On shipments of \$1700 or greater, for all products except PEX tubing and 2-1/2" and above Backflows, full freight charges based on cheapest method as determined by us will be prepaid and allowed to all destinations within Canada. If carrier is specified, the rate for our routing only will be allowed and shipment will be made collect.

Shipping Terms for PEX tubing

Shipments of less than \$3000 for PEX tubing are F.O.B. Montreal. On shipments of \$3000 or greater, full freight charges based on cheapest method as determined by us will be prepaid and allowed to all destinations within Canada. If carrier is specified, the rate for our routing only will be allowed and shipment will be made collect.

Shipping Terms for 2-1/2" and above Backflow preventers

Shipments of less than \$5000 or 5000 lbs for 2-1/2" and above backflows are F.O.B. Montreal. On shipments of \$5000 or 5000 lbs or greater, full freight charges based on cheapest method as determined by us will be prepaid and allowed to all destinations within Canada. If carrier is specified, the rate for our routing only will be allowed and shipment will be made collect.

Return Goods Policy

Restocking charges and items returned for credit:

- New Standard Catalog Items - 25% restocking charged if returned for credit only. For items ordered in error, the charge will be reduced to 15% if replacement items are purchased within 14 days of original PO.
- Special Order Items (products with special modifications) - 50% restocking charge.
- Return must be within 180 days of original PO.
- All percentages as minimums based on condition of material at time of request.

All restocking charges are based on F.O.B. Montreal and products being new (never having been installed in a line). We do not accept any valves which have been used. Prior to return of product, an R.G.A. number must be assigned by a customer service representative. This number should be referenced on the outside of the carton and on all related paperwork. Items should be returned prepaid to 1051 Rue Levis, Lachenaie QC J6W4L2, Canada marked "Attn: Returns Department." Any information or correspondence may be sent with the product or mailed separately.

Terms

All invoices are due, 2% 10 days, NET 30 days, unless previously agreed.

Limited Warranty

Cash Acme warrants each product against defects in material and workmanship for a period of one year from the date of the manufacturer. In the event of any defect within the warranty period Cash Acme will at its option replace or recondition the product without charge providing the product is returned to 1051 Rue Levis, Lachenaie QC J6W4L2, Canada. This shall constitute the exclusive remedy for any alleged defect.

Cash Acme shall not be responsible for any incidental, indirect, contingent or consequential damages, including, without limitation, damages or other costs resulting from labor charges, delays, loss of use, revenue or profit, vandalism, negligence, fouling caused by foreign material, damage from peculiar water conditions, chemicals or other circumstances over which Cash Acme has no control; Cash Acme makes no other warranties, express or implied, except as provided in this limited warranty. This warranty becomes voided by any misapplication, misuse, abuse or improper installation of the product. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state. Applicable in Canada only. **Please contact plant for SharkBite® warranty information.**

Cash Acme Statement of Policy

We reserve the right to make changes or improvements in our products without obligation to incorporate such changes or improvements in stock already manufactured. We will not replace or exchange new or improved products for older styles on customers' shelves. We also reserve the right to make substitutions in material or construction where necessary because of government regulations or availability of material.

We reserve the right to change the design of our products or their prices without notice. We also reserve the right to withdraw or drop a product from our line without notice.

For over seventy years, Cash Acme has demonstrated its integrity, responsibility and technical skill, as evidenced by the continued patronage of its many customers and friends. It is our sincere desire to maintain full cooperation with customers and upon any questions arising in our transactions, we solicit your correspondence.



OVERBUILT IS AN UNDERSTATEMENT.®

In Canada Contact: 1-888-820-0120
sales@cashacme.ca • www.cashacme.ca

A Division of the Reliance Worldwide Corporation

